






Hand Protection Standards

EN 388 Regulatory Standards

EN 388 is the European standard used to evaluate mechanical risks for hand protection, but more than that, to be legally sold in Europe, a glove has to be EN 388 certified. Gloves with an EN 388 rating must be third-party tested and can be rated for abrasion, cut, tear and puncture resistance.



ABRASION

The material is subjected to abrasion by sandpaper under a determined pressure.

The cut protection is tested. A knife is passed over the glove material until it cuts through.

CUT

TEARThe force required to tear the glove material apart is measured.

PUNTURE

Based on the amount of force required to puncture the material with a tip.

ISO CUT TEST


If the knife gets dull during the coup test, see point 2, this test shall be performed instead. The cut test is rated from A to F, with F being the highest level of cut resistance.

IMPACT PROTECTION

This is a new test to the EN 388:2016 standard and is optional. It should only be included for gloves that claim specific impact-resistant properties. The rating will score a P(Pass), F(Fail), or X(Not Tested).

EN 407 Regulatory Standards

This standard specifies demands and test methods for protective gloves that shall protect against heat and/or fire. The numbers given besides the pictogram indicate the gloves performance for each test in the standard. The higher number the better the performance level.



BURNING BEHAVIOR

The ignition time and how long the material glows or burns after ignition is measured in this test. If the seam comes apart after 15 seconds above a flame, the glove has failed the test.

CONTACT HEAT

The glove is exposed to temperatures between + 100°C to + 500°C. Then it is measured how long it takes for the inner side of the glove to become 10°C warmer than it was from the beginning (about 25°C degrees). The glove must withstand the increasing temperature of a maximum of 10°C for at least 15 seconds for approval.

CONECTIVE

The gloves material is exposed to heat from a gas flame. The amount of time it takes to raise the temperature inside the glove by 24°C is measured. The longer this takes, the higher the resistance of the glove to convective

RADIANT HEAT

this is done by measuring how long the glove is able to delay heat transfer from a radiant source. the average time is measured for an operation of 2.5W / $m^2.$

SMALL SPLASH MOLTEN METAL

This is tested by dropping small amounts of molten metal onto the glove. Based on the number of drops of molten metal that generates a temperature increase between the glove material and the skin with 40°C.

LARGESPLASH MOLTEN METAL

The test measures how muchmolten metal is required to damage material inside the glove. A PVC film is attached to the back of the glove material. Molten iron is poured onto the material. The measurement consists of how many grams of molten iron is required to damage the PVC film.



CE marking indicates that a product has been assessed by the manufacturer and deemed to meet EU safety, health and environmental protection requirements. It is required for products manufactured anywhere in the world that are then marketed in the EU.

Understanding

Cut Resistant Levels

When looking for the best options for hand protection, it comes to your mind which one do you need to protect your hands from potential injuries such as cuts, tissue injuries, amputations, and burns. To know the right pair of gloves to use for a specific work, it is important to understand the levels of cut resistance. These are standards from the American National Standards Institute (ANSI) and International Safety Equipment Association (ISEA) effective in North America in March 2016 that measures cut resistance for Industrial work gloves on a scale from A1 to A9.

Levels



Material handling, small parts assembly (sharp edge), packaging, warehouse, general purpose, construction.







Medium- High Applications

Application in glass handling, appliance manufacturing, automotive, metal fabrication





High Applications

Application in metal stamping & fabrication, glass handling, constructions



Highest Applications

Appliaction in metal stamping & fabrication, glass handling, recycling, aerospace



Levels Weight in grams needed to cut through materials

A1 200-499 g



E00.000 a



1000-1499 g



1500-2199 g



2200-2999 g



3000-3999 g



4000-4999 g



5000-5999 g



6000+ g

ANSI/ISEA and EN388. Where to find them?

Always look for the certification icon printed in the back of each gloves. It is very important to get the proper pair to avoid possible injuries while working.



Dipped Gloves

Choosing the correct glove coating for your job is crucial. That is why we offer various types of coatings to make sure we cover your specific hand protection needs. Palm coatings can influence your glove's performance gripping capabilities in wet and dry conditions, flexibility, temperature, chemicals, oils, abrasion, cut, and puncture resistance.

Coatings







Polyurethane

Polyurethane (PU) coating provides the user with extra flexibility and dexterity. It offers a lightweight and more breathable material and are also known for their excellent crip without being too sticky.

excellent grip without being too sticky.

PU coatings have versatility among different uses such as light duty jobs, small parts handling, and light manufacturing.



Latex

Latex coating offers great elasticity, durability, and dexterity, it is a good option for wet or dry applications thanks to their material, latex does perform as well with oily or abrasive materials. It has a protein that can generate allergy reactions, you should always make sure if you are allergic to this material.

Grips



Sandy

It increases the gloves grip in both wet and harsh weather conditions. It is not recommended to be used in contact with hydrocarbon-based oils or solvents. Sandy grip provides a high level of flexibility and snagging resistance.



Dotted Palm

It combines the benefits of the Micro-Foam with increased grip performance, without sacrificing its flexibility, breathability, and dexterity performance levels. The Dotted palm provides the user the extra grip required for some jobs.



Foam

It provides the user with excellent dexterity for those who work in wet conditions and oils. The foam behaves like a sponge that absorbs and removes liquids from the palm, providing excellent grip and precision in these conditions



Crinkle

It is known for their outstanding grip performance in wet and dry conditions. This crinkle is designed to drain liquids away rapidly through its channels to assure a good grip in most circumstances.



Smooth

Without any texture, Smooth grips provides the user with a strong dry grip. As a non-porous grip, it will not absorb any liquids. It is versatile as it has good resistance to hydrocarbon-based oils and solvents.



Micro Foam

The Micro Foam grip acts as a sponge against light oils and water, absorbing them to increase grip performance. This coating is ideal for working with small oily objects, as it also provides excellent dextertly and flexibility. Its porous texture provides comfort and breathability.

Liners

Nylon



They are durable and tough, with good flexibility and breathability, with high abrasion resistance can be used in constructions, industrial work, and outdoor applications

Polyester



It's a synthetic fiber with high durability and excellent abrasion resistance, gloves made of this material can be washed and to not shrink when drying, they are a good choice for painting, gardening because the material is quick drying.

HPPE



High-Performance Polyethylene (HPPE) has the highest strength to mass ratio of any fiber available, its 10 times stronger than steel, being a material with high abrasion resistance.

Spandex



It's good for applications that need good dexterity and flexibility. High elasticity, lightweight, durable material.

Basalt



It's a highly durable and resistant material made of extremely fine fibers of basalt. Applications like industrial work, construction, mining, and handling metal & class

Steel



Very durable and resistant material, with high tensile strength for jobs requiring handling of sharp objects such as glass, small parts with sharp points, construction, and industry

Gauge

The Gauge of the liner refers to the number of stitches or knitting needles per inch. The higher the gauge, the better the tactile sensitivity and dexterity of the glove.



21 Gauge



18 Gauge



15 Gauge



13 Gauge



10 Gauge

Special Features



It can be difficult to find gloves that work with touchscreen phones. Some of our gloves are a lightweight alternative that not only protects your hands, but allows you to text, scroll, stream, and do everything in between.



Outstanding grip performance in wet and dry conditions, assuring a good grip in most circumstances.



Coated gloves with special insert layers that repel water to keep your hands dry or wet, rainy or snow conditions, providing excellent grip and comfort.

Sizing Guide

Knowing the glove size is an important way to increase your performance without losing comfort and dexterity. We use a size identification system based on the color of the cuff, which provides better visual support when choosing the right glove size.



PU Dipped Gloves

GG205



Hanging Card Ref.

GG205SC

GG205MC

GG205LC

GG205XLC

GG2052XLC



12 Pack Ref.

GG205S

GG205M

GG205L

GG205XL

GG2052XL



PU Dipped Gloves

GG206



1 - Cut 2 - Tear 1 - Puncture





Cuff Color

Green

Blue

Gray

Black

Orange







Cuff Color 12 Pack Ref. Size Hanging Card Ref. GG206SC GG206S Green S GG206MC GG206M Blue М GG206LC GG206L Gray GG206XLC GG206XL Black XL GG2062XL GG2062XLC Orange 2XL

PU Dipped Gloves

GG207




Abrasion













PU Dipped Gloves

GG208











Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG208SC	GG208S	Green	S
GG208MC	GG208M	Blue	M
GG208LC	GG208L	Gray	L
GG208XLC	GG208XL	Black	XL
GG2082XLC	GG2082XL	Orange	2XL

PU Dipped Gloves

GG201









• 13 Gauge HPPE, Steel Wire, Basalt, Spandex and Polyester Liner





PU Dipped Gloves

GG254



3 - Abrasion X - Cut 4 - Tear 1 - Puncture











Hanging Card Ref.	Cuff Color	Size
GG254SC	Green	S
GG254MC	Blue	M
GG254LC	Gray	L
GG254XLC	Black	XL
GG2542XLC	Orange	2XI



Hand Protection Latex Gloves

Crinkle Rubber Dipped Gloves





Hanging Card Ref. GG209SC

GG209MC

GG209LC

GG209XLC

GG2092XLC



12 Pack Ref.

GG209S

GG209M

GG209L

GG209XL

GG2092XL



Cuff Color

Green

Blue

Gray

Black

Orange



Size

S

М

ΧL

2XL





Sandy Latex Double Dipped Gloves

GG211



GG211SC

GG211MC

GG211LC

GG211XLC

GG2112XLC

3 - Abrasion

Hanging Card Ref. 12 Pack Ref.

GG211S

GG211M

GG211L

GG211XL

GG2112XL





Orange











· Waterproof Latex Coating



Hanging Card



12 Pair Pack

GG2152XLC

Smooth Nitrile Dipped Gloves

GG2152XL

GG215 Longer Cuff 3 - Abrasion For better protection 1 - Cut 2 - Tear 1 - Puncture and comfort 3121X X - ISO Cut Test •13 Gauge Polyester Liner Black Smooth Nitrile Hanging Card Ref. 12 Pack Ref. Cuff Color Size Coating GG215SC **GG215S** Green S GG215MC GG215M Blue M GG215LC GG215L Gray L GG215XLC GG215XL Black

Dotted Palm Micro Foam Nitrile Dipped Gloves

Orange

ΧI

2XL



Micro Foam Nitrile Dipped Gloves



Fully Dipped Foam Nitrile Gloves



Hi-Vis Sandy Nitrile Dipped Gloves



Micro Foam Nitrile Dipped Gloves



Micro Foam Nitrile Dipped Gloves





Hanging Card Ref.

GG224SC

GG224MC

GG224LC

GG224XLC

GG2242XLC

4 - Abrasion X - Cut 4 - Tear 2 - Puncture



12 Pack Ref.

GG224S

GG224M

GG224L

GG224XL

GG2242XL



Cuff Color

Green

Blue

Gray

Black

Orange



• 13 Gauge HPPE, Polyester, Steel and Spandex Liner

anu Spanu
9

2XL

Longer Cuff

For better protection and comfort

> •18 Gauge HPPE, Polyester and Steel Liner



· Provides a High Level of

Micro Foam Nitrile Dipped Gloves

GG225



Touch Screen Compatible

4 - Abrasion X - Cut 4 - Tear 2 - Puncture









Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG225SC	GG225S	Green	S
GG225MC	GG225M	Blue	M
GG225LC	GG225L	Gray	L
GG225XLC	GG225XL	Black	XL
GG2252XLC	GG2252XL	Orange	2XL

Fit, Touch and Precision Touch Screen Compatible Reinforced **Thumb Crotch** · Black Micro Foam **Nitrile Coating**

Foam Nitrile Dipped Gloves

GG226



4 - Abrasion X - Cut 4 - Tear 2 - Puncture F - ISO Cut Test







• 13 Gauge HPPE, Steel, Basalt, Polyester and Spandex Liner

Hanging Card Ref.	12 Pack Ref.	Cuff Color	Size
GG226SC	GG226S	Green	S
GG226MC	GG226M	Blue	M
GG226LC	GG226L	Gray	L
GG226XLC	GG226XL	Black	XL
GG2262XLC	GG2262XL	Orange	2XL



Touch Screen

Micro Foam Nitrile Dipped Gloves

GG227















Micro Foam Nitrile Dipped Gloves

GG228













12 Pack Ref.	Cuff Color	Size	
GG228S	Green	S	
GG228M	Blue	М	
GG228L	Gray	L	
GG228XL	Black	XL	
GG2282XI	Orange	281	









Fully Dipped Nitrile Gloves

GG235









Hanging Card Ref.	Cuff Color	Size	
GG235SC	Green	S	
GG235MC	Blue	M	
GG235LC	Gray	L	
GG235XLC	Black	XL	
GG2352XLC	Orange	2XL	



Sandy Nitrile Dipped Gloves

GG271



1 - Cut 2 - Tear 1 - Puncture







2 Gauge

Hanging Card Ref.	Cuff Color	Size	
GG271SC	Green	S	
GG271MC	Blue	M	
GG271LC	Gray	L	
GG271XLC	Black	XL	
GG2712XLC	Orange	2XL	



Sandy Nitrile Dipped Gloves

GG275



4 - Abrasion X - Cut 4 - Tear 1 - Puncture E - ISO Cut Test







fuse®





Micro Foam Nitrile Dipped Recycled Gloves

GG230



OEKO-TEX®


STANDARD 100







Touch Screen Compatible







Foam Nitrile Dipped Gloves

GG231













Hanging Card Ref.	Cuff Color	Size	
GG231SC	Green	S	
GG231MC	Blue	M	
GG231LC	Gray	L	
GG231XLC	Black	XL	
GG2312XLC	Orange	2XL	







Hanging Card



12 Pair Pack

Sandy Nitrile TPR Impact Gloves

GG240













Hanging Card Ref.	Cuff Color	Size	
GG240MC	Blue	M	
GG240LC	Gray	L	
GG240XLC	Black	XL	
GG2402XLC	Orange	2XL	



 Stitched Reinforced TPR Impact 1 Flying Eagle Design for Improved Mobility and Dexterity



PATENT PENDING

Micro Foam Nitrile TPR Impact Gloves

GG242



4 - Abrasion X - Cut 4 - Tear 2 - Puncture D - ISO Cut Test









Hanging Card Ref.	Cuff Color	Size	
GG242MC	Blue	M	
GG242LC	Gray	L	
GG242XLC	Black	XL	
GG2422XLC	Orange	2XL	



 Stitched Reinforced TPR Impact 1 Flying Eagle Design for Improved Mobility and Dexterity

 Touch Screen Compatible Stitched Reinforced **Thumb Crotch** Black Micro Foam **Nitrile Coating**

PATENT PENDING

Foam Nitrile TPR Impact Gloves

GG244



X - Cut 4 - Tear 2 - Puncture









Hanging Card Ref.	Cuff Color	Size	
GG244MC	Blue	M	
GG244LC	Gray	L	
GG244XLC	Black	XL	
GG2442XLC	Orange	2XL	



 Stitched Reinforced TPR Impact 2 Flying Eagle Design for Improved Mobility and Dexterity



PATENT PENDING



Leather Gloves



Leather Gloves

Guide

Types of Leather and their Difference

Different types of leather are used in gloves for an array of uses. The most common leather used is cowhide leather, which has two types; Cow Grain and Cow Split.




Cow Grain Leather

The outer layer of the hide is naturally water repellent and very durable in volatile conditions. Cow grain leather is the thickest and most durable type of leather.



Cow Split Leather

The bottom layer of the hide. It has better abrasion and heat resistance. Also, provides smoother texture and flexibility.




Thumb Types

Different types of thumb designs are used in leather gloves which offer better dexterity depending on the different work environments. The most common are straight thumb, wing thumb, and keystone thumb.




winged mumb

Is a continuous full leather thumb with a reinforced sewn in the bottom. Its design is excellent for gripping work like screw, hammer, shoveling.



Straight Thumb

This design has stitching on the inside of the glove, which provides an extension of the life of the glove, this avoiding unpicking. It's design is excelent for push or open handed work



Keystone Thumb

This design has the thumb separated from the glove, stitching it in a way that provides greater comfort to the user, being one of the most versatile.

Special Features



It's the highest quality leather available. It has had imperfections removed or corrected using different methods such as sanding or buffing, giving an excellent finish and a better feel when using the

Aramid Stitching

It is one of the most resistant commercial yarns of all, it is made for applications in which the contact with heat is constant since it resists high heat temperatures and remains firm without any risk of



Coated gloves with special insert layers that repel water to keep your hands dry or wet, rainy or snow conditions, providing excellent grip and comfort.

EN 12477

EN 12477 describes how welding gloves should be made to provide adequate hand and fist protection, welding gloves should be tested based on EN388:2016 and EN 407:2004.

Type A refers to gloves with high protection but with lower dexterity and flexibility.

Type B refers to gloves with low protection but with good dexterity and flexibility.

Cow Grain Leather Driver Gloves

GG301



- 3 Abrasion 1 Cut
- 4 Tear 3 Puncture X ISO Cut Test







Hanging Card Ref.	Size	
GG301SC	S	
GG301MC	М	
GG301LC	L	
GG301XLC	XL	
GG3012XLC	2XL	



Goat Skin Leather Driver Gloves

GG302



- 3 Abrasion 1 - Cut 2 - Tear





Touch Screen Compatible

Hanging Card Ref.	Size	
GG302SC	S	
GG302MC	M	
GG302LC	L	
GG302XLC	XL	
GG3022XLC	2XL	



Cow Grain & Split Leather Driver Gloves

GG303





3 - Abrasion





Hanging Card Ref.	Size	
GG303SC	S	
GG303MC	M	
GG303LC	L	
GG303XLC	XL	
GG3032XLC	2XL	



Cow Split Leather Driver Gloves

GG305









Hanging Card Ref.	Size
GG305SC	S
GG305MC	М
GG305LC	L
GG305XLC	XL
GG3052XLC	2XL



Cow Grain Leather Driver Gloves

GG306



- 1 Cut 4 Tear 3 Puncture





Hanging Card Ref.	Size
GG306SC	S
GG306MC	M
GG306LC	L
GG306XLC	XL
GG3062XLC	211



Cow Grain Leather Driver Gloves

GG307



- 3 Abrasion 1 - Cut 4 - Tear
- 3 Puncture 3143X X - ISO Cut Test





Hanging Card Ref.	Size	
GG307SC	S	
GG307MC	M	
GG307LC	L	
GG307XLC	XL	
GG3072XLC	2XL	



Cow Split Leather Driver Gloves

GG308



- 4 Abrasion 1 - Cut 2 - Tear 3 - Puncture X - ISO Cut Test
- CE



Hanging Card Ref.	Size
GG308SC	S
GG308MC	M
GG308LC	L
GG308XLC	XL
GG3082XLC	2XL



Cow Split Leather Driver Gloves

GG309











Hanging Card Ref.	Size	
GG309SC	S	
GG309MC	M	
GG309LC	L	
GG309XLC	XL	
GG3092XLC	2XL	



Impact & Cut Resistant Driver Gloves

GG421



- 4 Abrasion 5 - Cut 4 - Tear







Hanging Card Ref.	Size	
GG421SC	S	
GG421MC	M	
GG421LC	L	
GG421XLC	XL	
GG4212YI C	2VI	



Reinforced Double Palm Cow Split Leather Gloves

GG320



- 4 Abrasion
- 4 Abrasion 2 Cut 4 Tear 4 Puncture







Hanging Card Ref. Size GG320LC





Reinforced Double Palm Cow Split Leather Gloves

GG321



4 - Abrasion

Hanging Card Ref.

GG321LC

2 - Cut 4 - Tear 4 - Puncture









Size









Reinforced Palm, Thumb & Index

Cow Split Leather

· Sewn with Aramid Thread

Hi-Vis Reinforced Double Palm Cow Split Leather Gloves

GG322




- 4 Abrasion
- 2 Cut 4 Tear 4 Puncture X - ISO Cut Test













 Reflective Material



(36)





Hand Protection Welding Gloves

Cow Split Leather Welding Gloves





MIG Welding Gloves





TIG Welding Gloves

GG345



- 2 Abrasion
- 1 Cut 1 Tear 1 Puncture
- X ISO Cut Test

















Mechanics Gloves



Impact Resistant Standards

ANSI/ISEA 138-2019

This standard is used to evaluate the protection and the resistance of the gloves for impact sets requirements of gloves designed to protect the knuckles and fingers of direct impact to the hand from external objects. The impact resistance is classified in levels 1, 2, and 3, where level 1 equals the lowest level of impact resistance and level 3 equals the highest level of performance.





Perfomance

Mean $(kN) \le 4 / All Impact (kN) \le 5$





MEDIUM Perfomance

Mean $(kN) \le 6.5 / All Impact (kN) \le 8.1$






HIGH Perfomance

Mean $(kN) \le 9 / All Impact (kN) \le 11$

EN388 Regulatory Standard

This standard is used to evaluate mechanical risks for hand protection, but more than that, to be legally sold in Europe, a glove has to be EN 388 certified. Gloves with an EN 388 rating must be third-party tested and can be rated for abrasion, cut, tear and puncture resistance.



ABRASION

The material is subjected to abrasion pressure

The cut protection is tested. A knife is

passed over the glove material until it cuts through.

TEAR The force required to tear the glove **PUNTURE**

Based on the amount of force required to puncture the material with a tip

ISO CUT TEST

If the knife gets dull during the coup test, see point 2, this test shall be performed instead. The cut test is rated from A to F, with F being the highest level of cut resistance

IMPACT PROTECTION

This is a new test to the FN 388:2016 standard and is optional. It should only be included for gloves that claim specific impact resistant properties The rating will score a P(Pass), F(Fail), or X(Not Tested).



CE marking indicates that a product has been assessed by the manufacturer and deemed to meet EU safety, health and environmental protection requirements. It is required for products manufactured anywhere in the world that are then marketed in the EU.

Understanding Impact Resistant Levels


This type of gloves is generally used in places where the risk of having an accident in the hand is higher than normal and heavy-duty protection is required. There are 3 levels of impact resistance, the lowest level is 1 and the highest is 3, these gloves are mainly used in industrial areas such as Oil & Gas, mining, exploration, fishing, quarrying. To know what level will be the glove, these are subjected to a test in which they are thrown a mass of 2-5 or 5 kgs in the area of the TPR and is measured based on Mean Transmitted Force (MTF), the MTF is measured in kilonewtons (kN) which means that the lower the measurement in kilonewtons, the better the dispersion of the glove.

The Importance of Using Mechanics Gloves

According to different studies, the second most injured part is the hand, there are many ways to hurt the hand by punctures, but one of the most common causes according to the National Safety Council, is through some kind of blow by heavy machinery, and likewise being injuries that can cost between 400-25000\$, you should not only be aware of the work area in which you are, but you should also protect yourself as best as possible to avoid possible injuries in high-risk areas.

ANSI/ISEA 138-2019 Testing Process

The ANSI/ISEA 138-2015 is used to measure the gloves impact protection, starting from the knuckles to the fingers area. The middle and little fingers testing area is measured 5 cm from the fingertip. On the index, ring, and thumb fingers, the testing area is 2.5 cm from the fingertip.





TPR Layers

Our TPR gloves are designed to generate excellent impact protection, made of 3 layers and thick TPR that repels impact without damaging your hand, are made of 6 mm TPR, highly durable stitching, and made of 100% natural or high-quality synthetic leather.



Mechanics Gloves

GG400



2 - Abra: 1 - Cut 1 - Tear 1 - Punc







Hanging Card Ref.	Size
GG400SC	S
GG400MC	M
GG400LC	L
GG400XLC	XL
GG400XXLC	2XL



Mechanics Gloves

GG401



2 - Abrasion 1 - Cut 1 - Tear 1 - Puncture X - ISO Cut Test





Hanging Card Ref.	Size	
GG401SC	S	
GG401MC	M	
GG401LC	L	
GG401XLC	XL	
GG4012XLC	2XL	



Hi-Vis Mechanics Gloves

GG402



1 - Cut 3 - Tear 1 - Puncture X - ISO Cut Test





Hanging Card Ref.	Size
GG402SC	S
GG402MC	M
GG402LC	L
GG402XLC	XL
GG4022XLC	2XL



Pro Mechanics Gloves

GG410

Hanging Card Ref.

GG410SC

GG410MC

GG410LC GG410XLC

GG4102XLC



- 2 Abrasion 2 Cut 4 Tear 1 Puncture



Size

S

М

XL

2XL





n	• Shirred Elastic _ Wrist for Secure Fit
n	Wrist for Secure

· Breathable Spandex Material



Pro Mechanics Gloves

GG411



2 - Abrasion 2 - Cut 4 - Tear 1 - Puncture X - ISO Cut Test









TPR Velcro Cuff









Thumb Crotch



Pull Strap

Touch Screen Compatible

Pull Strap

Hanging Card Ref.	Size
GG411SC	S
GG411MC	M
GG411LC	L
GG411XLC	XL
GG4112XLC	2XL

Synthetic Leather Impact Resistant Work Gloves

GG416



X - ISO Cut Test









Hanging Card Ref.	Size
GG416SC	S
GG416MC	М
GG416LC	L
GG416XLC	XL
GG4162XLC	2XL



 Stitched Reinforced TPR Impact 1 Flying Eagle Design for Improved Mobility and Dexterity

PATENT PENDING

Hi-Vis Synthetic Leather Impact Resistant Work Gloves

GG417











 Breathable Airprene Cuff



Hanging Card Ref.	Size
GG417SC	S
GG417MC	M
GG417LC	L
GG417XLC	XL
GG4172XLC	2XL



PATENT PENDING

Oil & Gas Impact Resistant Gloves

GG422











GG4222XLC

Hamaian Cand Baf	0:	
Hanging Card Ref.	Size	
GG422SC	S	
GG422MC	M	
GG422LC	L	
GG422XLC	XL	

2XL



Mobility and Dexterity





PATENT PENDING





Nitrile Gloves



4 Mil Nitrile Gloves

GG600 / GG601





100 Pieces Ref.	Color	100 Pieces Ref.	Color	Size
GG600S	Blue	GG601S	Black	S
GG600M	Blue	GG601M	Black	М
GG600L	Blue	GG601L	Black	L
GG600XL	Blue	GG601XL	Black	XL



6 Mil Nitrile Gloves

GG610









100 Pieces Ref.	Color	Size	
GG610S	Blue	S	
GG610M	Blue	M	
GG610L	Blue	L	
GG610XL	Blue	XL	



8 Mil Nitrile Gloves

GG622





50 Pieces Ref.	Color	Size
GG622M	Orange	M
GG622L	Orange	L
GG622XL	Orange	XL







Protective Clothing



ANSI 107-2020

Class & Types

This certification is provided by the American National Standards Institute (ANSI) so that certain guidelines are followed when developing high visibility clothing, when choosing them and when to use each type of high visibility garment for the desired applications.

Type 0



Provides a moderate level of visualization, designed for use in work areas where there is no heavy machinery, complex viewing environment, or that are close to any type of high-speed road.

Class 1



Intended for workers who are in a low hazard area, i.e. away from roads and work areas of very complex view.

Class 3



For workers who are in accident-prone locations, such as high-speed roads (above 50 mph), providing high visibility in 360 degrees. Provides maximum body coverage and visibility of low light and long-range conditions.

Type R



Designed to provide high visibility and is made for use in day and night environments, in workplaces that are visually complex and are ideal for use in high-speed road and machinery work nearby.

Class 2



For workers who are in accident-prone locations, such as high-speed roads (below 50 mph), providing high visibility in 360 degrees.

Class E This type does not

This type does not fit into the numbering system, instead, class E is additional garments to increase the worker's visibility, such as reflective pants, high visibility jackets, or rain pants. If a class E garment is added (for example, high visibility pants) and the worker is wearing a class 2 safety vest, because of the outfit he/she is wearing, it will be considered class 3 attire, if the worker is wearing a class 1 safety vest and class E is added, it













will be considered class 2 attire





Safety Vest



Safety Vest



Protective Clothing

Safety Vest with Contrasting Trims



Surveyor Vest with Contrasting Trims



Protective Clothing

Expandable 5-Point Breakaway Safety Vest



Heavy Duty Engineer Vest with Contrasting Trims



Protective Clothing

Heavy Duty Surveyor Vest



10 Pockets

Ref.	Color	Size
GV088GS	Green	S
GV088GM	Green	M
GV088GL	Green	L
GV088XL	Green	XL
GV0882XL	Green	XXL





Workwear



Workwear Hi Vis Shirts

Hi-Vis Short Sleeve Shirt




Hi-Vis Long Sleeve Shirt



Workwear Hi Vis Shirts

Hi-Vis Short Sleeve Shirt



Hi-Vis Long Sleeve Shirt



Workwear Hi Vis Shirts

Hi-Vis Short Sleeve Shirt

GS116 Offers UPF 40+ Protection Polyester Knit Birdseye 1 Outer Chest Pocket •2" Segmented Heat -Transfer Reflective · Material wicks away moisture Tape and provides comfort, coolness and breathability. Breathable Mesh Black Bottom on Both Sides **GS116G** Color Ref. Ref. Color Size Green **GS116GS** GS116OS Orange s GS116GM Green GS116OM Orange M Green GS116GL **GS116OL** Orange L GS116GXL GS116OXL Green Orange ΧL GS116G2XL GS116O2XL XXL Green Orange **GS1160**

Hi-Vis Long Sleeve Shirt







Protective Coveralls



Coverall Certifications & Materials

Explained

Certifications



EN 14605

Protective clothing for the whole body (trunk, arms, and legs), Protects against a pressurized or direct jet of liquid chemicals.



EN 1073-2

Protective clothing against radioactive particulate contamination.

TYPE 4



EN 14605

Protective clothing for the whole body (trunk, arms, and legs), Protects against saturated splash of liquid chemicals.



EN 1073-2

Protective clothing with electrostatic properties.





EN ISO 13982-1

EN 14605

Protective clothing for the whole body (trunk, arms, and legs), only applies to airborne solid particles, they should not be used for liquid chemicals, certain solid products in the form of dust.



EN 14126

Protective clothing against infective agents.




EN ISO 13034

EN 13034:2005

Protective clothing for the whole body (trunk, arms, and legs), protects against a light spray of liquid chemicals.

Materials




Microporous

Provides excellent protection against nonhazardous liquids and at the same time, it provides good breathing to the body in hot working environments providing good comfort.

SMS

(Spunbond, Meltblown, Spunbond)

This is a type of nonwoven fabric that combines spunbond and meltblown fabrics is a good liquid repellent.



Protective Coveralls

SMS Protective Coverall



XXXL



GW900






SMS Protective Coverall

Collar

GW9003XL





Ref.	Coverall Style	Color	Size
GW901M	Hood	○ White	M
GW901L	Hood	O White	L
GW901XL	Hood	O White	XL
GW9012XL	Hood	O White	XXL
GW9013XL	Hood	O White	XXXL



Protective Coveralls

Microporous Protective Coverall



Ref.	Coverall Style	Color	Size
GW904M	Collar	O White	М
GW904L	Collar	O White	L
GW904XL	Collar	O White	XL
GW9042XL	Collar	○ White	XXL
GW9043XL	Collar	O White	XXXL



Microporous Protective Coverall



Ref.	Coverall Style	Color	Size
GW903M	Hood & Boots	○ White	М
GW903L	Hood & Boots	○ White	L
GW903XL	Hood & Boots	○ White	XL
GW9032XL	Hood & Boots	○ White	XXL
GW9033XL	Hood & Boots	O White	XXXL



Protective Coveralls

Microporous Protective Coverall





GW904



Ref.	Coverall Style	Color	Size
GW904M	Hood	○ White	M
GW904L	Hood	○ White	L
GW904XL	Hood	○ White	XL
GW9042XL	Hood	O White	XXL
GW9043XL	Hood	○ White	XXXL



Seam Taped Protective Coverall









Protective Coverall

Reflective Protective Coverall









Seam Taped Protective Coverall





Ref.	Coverall Style	Color	Size
GW907M	Hood	Yellow	M
GW907L	Hood	Yellow	L
GW907XL	Hood	Yellow	XL
GW9072XL	Hood	Yellow	XXL
GW9073XL	Hood	Yellow	XXXL







Protective Eyewear



Standards



The Z87.1 ANSI references the standards and guidelines for Eyewear protection. certifying that the product complies with and provides the necessary protection to the wearer from liquid splashes, small object impacts, and dust.



EN 166:2001 specifies the guidelines or basic requirements for Eyewear protection, based on the European specification standards.



EN 166:2001 specifies the guidelines or basic requirements for Eyewear protection, based on the European specification standards.

Lens Options



Clear

90% light transmission Clear lenses offer consistent optical clarity providing the clearest and most natural vision possible.

Amber

85% light transmission
The amber tint lightens and adds contrast to shapes and shadows, giving better detail to shapes and shadows, giving better detail to the contours of objects, it is recommended for use in places where the sun makes it difficult to distinguish details.

I/O Mirror

46% light transmission Mirrored glasses allow (as smoking) a significant reduction of light, thus reducing eye pain and fatigue for the wearer.

Smoke

23% light transmission
The smoke lens allows minimal light
transmission, reducing eye fatigue and eye
strain at high brightness.

Blue Mirror

26% light transmission
The blue mirror lens enhances the contours around objects and improves color perception. Wear them to reduce glare during snowy conditions.

Anti-Fog Clear View



Foggy lenses are very common for people who work with personal protective equipment and are a huge inconvenience and safety risk to workers. The anti-fog lenses will stop your glasses from fogging up, providing you with clear vision.

Features









protect your eyes from sunlight and glare while polycarbonate, ideal for all types of work outdoors. And allow more light than amber lenses. to let through enough light for effective visibility in

Ideal middle ground lenses transmit more visible Protect your eyes for longer, with scratch-Rest asured that your eyes will be protected. Glasses made with a non-conducting frame and light than typical outdoor lenses, yet can still resistant glasses made of strong and resistant against the sunlight's UV ray. 99.9% UV protection have no metal parts, insulating against electricity. allows you to see easier and clearly in bright-light conditions, while protecting your eyes against the harmful effects of the sun.

Wearing non-conducting safety gear reduces the chances of an accidental electrical discharge and helps to minimize injury during an electrical

Choosing the right frame

It is extremely important safety eyewear fit properly. A lens base curve is the measure of the general shape of the lens. The higher the base curve, the more curvature there is in a lens, the more curvature the lens has the more it wraps around the face, creating more coverage and increasing side protection.







Frameless

Frameless Safety Glasses are a good choice for lightweight and style. Designed to obtain a better range of vision without having to take them off

Full Frame

The design allows them to be very resistant, ideal for jobs that require a lot of movement. Allows maximum protection against the sun's rays, their wrap-around design fully protects your eyes

Half Frame

The design allows them to be very comfortable and lightweight, allowing them to have a better range vision to front and side



Spoggle

A combination of the beneficial uses of both spectacles and goggles, the "Spoggles" offer both safety and comfort, with its adjustable headband and inner-foam gasket.



Over The Glass

OTG goggles are designed to wear with most prescription glasses, protecting your eyes from impact, liquids, and particulates.

03 Series
















• Wrap Around Design with Side Protection

Ref.	Frame	Lens	Coating	Weight (g)
GE103C	Blue	○ Clear	Anti-Scratch	19.8
GE103CAF	Blue	○ Clear	Anti-Fog / Anti-Scratch	19.8
GE103MAF	Blue	I/O Mirror	Anti-Fog / Anti-Scratch	19.8








Ale	
R	
26	
	GE203SAF

Ref.	Frame	Lens	Coating	Weight (g)
GE203C	Gray	○ Clear	Anti-Scratch	19.8
GE203CAF	Gray	○ Clear	Anti-Fog / Anti-Scratch	19.8
GE203AAF	Gray	Amber	Anti-Fog / Anti-Scratch	19.8
GE203SAF	Gray	Smoke	Anti-Fog / Anti-Scratch	19.8







Protective Eyewear

05 Series















•Adjustable Anti-Slip Soft PVC Nose Pads






Ref.	Frame	Lens	Coating	Weight (g)
GE205C	Black & Blue	○ Clear	Anti-Scratch	24.5
GE205CAF	Black & Blue	○ Clear	Anti-Fog / Anti-Scratch	24.5
GE205SAF	Black & Blue	Smoke	Anti-Fog / Anti-Scratch	24.5
GE205MAF	Black & Blue	I/O Mirror	Anti-Fog / Anti-Scratch	24.5







GE205MAF







02 Series



Dielectric
Dielectric hinge design
No metal components in this spectacle.

• Wrap Around Design with Side Protection

Ref.	Frame	Lens	Coating	Weight (g)
GE202C	Blue & Gray	○ Clear	Anti-Scratch	26
GE202CAF	Blue & Gray	○ Clear	Anti-Fog / Anti-Scratch	26








Protective Eyewear

30 Series











14 Series






Ref.	Frame	Lens	Coating	Weight (g)
GE114C	O Clear	○ Clear	Anti-Scratch	23
GE114CAF	○ Clear	○ Clear	Anti-Fog / Anti-Scratch	23













Ref.	Frame	Lens	Coating	Weight (g)
GE115C	Black & Blue	○ Clear	Anti-Scratch	25
GE115CAF	Black & Blue	○ Clear	Anti-Fog / Anti-Scratch	25











Ref.	Frame	Lens	Coating	Weight (g)
GE104C	Black & Blue	○ Clear	Anti-Scratch	32.2
GE104CAF	Black & Blue	○ Clear	Anti-Fog / Anti-Scratch	32.2
GE104SAF	Black & Blue	Smoke	Anti-Fog / Anti-Scratch	32.2
GE104BAF	Black & Blue	Blue Mirror	Anti-Fog / Anti-Scratch	32.2













Ref.	Frame	Lens	Coating	Weight (g)
GE201CAF	Black	○ Clear	Anti-Fog / Anti-Scratch	25
GE201SAF	Black	Smoke	Anti-Fog / Anti-Scratch	25








06 Series









GE106MAF



Ref.	Frame	Lens	Coauriy	vveigiii (g)
GE106C	Black & Blue	○ Clear	Anti-Scratch	28.1
GE106CAF	Black & Blue	○ Clear	Anti-Fog / Anti-Scratch	28.1
GE106SAF	Black & Blue	Smoke	Anti-Fog / Anti-Scratch	28.1
GE106BAF	Black & Blue	Blue Mirror	Anti-Fog / Anti-Scratch	28.1
GE106MAF	Black & Blue	I/O Mirror	Anti-Fog / Anti-Scratch	28.1





Ref.	Frame	Lens	Coating	Weight (g)
GE206C	Blue & Black	○ Clear	Anti-Scratch	28.1
GE206CAF	Blue & Black	○ Clear	Anti-Fog / Anti-Scratch	28.1
GE206SAF	Blue & Black	Smoke	Anti-Fog / Anti-Scratch	28.1







08 Series

Ref.

GE208CAF


Frame


Black

Lens

O Clear

Coating











Ref.	Frame	Lens	Coating	Weight (g)
GE308C	Gray	○ Clear	Anti-Scratch	23.9
GE308CAF	Gray	○ Clear	Anti-Fog / Anti-Scratch	23.9











Ref.	Frame	Lens	Coating	Weight (g)
GE109CAF	Black & Indigo	○ Clear	Anti-Fog / Anti-Scratch	31
GE109SAF	Black & Indigo	Smoke	Anti-Fog / Anti-Scratch	31
GE109BAF	Black & Indigo	Blue Mirror	Anti-Fog / Anti-Scratch	31
GE109MAF	Black & Indigo	I/O Mirror	Anti-Fog / Anti-Scratch	31













	7
GE1	110BAF




Ref.	Frame	Lens	Coating	Weight (g)
GE110CAF	White & Blue	○ Clear	Anti-Fog / Anti-Scratch	34
GE110BAF	White & Blue	Blue Mirror	Anti-Fog / Anti-Scratch	34





Ref.	Frame	Lens	Coating	Weight (g)
GE210CAF	Indigo & Black	○ Clear	Anti-Fog / Anti-Scratch	34
GE210SAF	Indigo & Black	Smoke	Anti-Fog / Anti-Scratch	34









05S Series









•100% Polycarbonate Lens, 9.5 Base Curve

> •Adjustable Anti-Slip Soft PVC Nose Pads



•2 in 1 Design Regular spectacle, spectacle with foam gasket and headband

Ref.	Frame	Lens	Coating	Weight (g)
GE105CAF	Black & Blue	○ Clear	Anti-Fog / Anti-Scratch	42.7









11S Series












12 OTG Series







Ref.	Frame	Lens	Coating	Weight (g)
GE212S	Black & Indigo	Smoke	Anti-Scratch	35.2









Safety Goggles

















Safety Goggles

Lens Color

O Clear

GE147C

Ref.

GE146C
















Indirect

Ventilation System

Plastic Molds Placed in the Perforated Vents for internal air control of the goggles Protect the Eyes from Chemical Splashes Adjustable Headband **GE147C** Indirect Vents designed to help



o metal components in these goggles.



Safety Goggles Anti-Fog

GE148CAF



Ref

GE147C





Lens Color

O Clear








Dielectric No metal compone in these goggles



GE149CAE	O Clear	Anti-Fog	Indirect
Ref.	Lens Color	Coating	Ventilation System

Professional Safety Goggles Anti-Fog













NRR & ANSI S3.19-1974 **Explained**

The U.S. Environmental Protection Agency (EPA) has selected the Noise Reduction Rating (NRR) as the measure of hearing protection devices noise-reducing capabilities.

The level of noise entering a person's ear when a hearing protector is worn as directed is closely approximated by the difference between the A-weighted environmental noise level and the NRR. Example:

- 1. The environmental noise level as measured at the ear is 92 dB (A).
- 2.The NRR is 23 decibels (dB).
- 3. The level of noise entering the ear is approximately equal to [92-26 dB(A)] 66 dB(A).

For noise environments dominated by frequencies below 500 Hz, the C-Weighted environmental noise level should be used. The NRR used in the above example was achieved under laboratory conditions.

When choosing hearing protection equipment, make sure you are choosing one with the dB you need to avoid hearing damage.



Protective Earmuff

GM450







Ref. Color
GM450 ■ Indigo & Black





Folding Protective Earmuff

GM451







GM451

● Indigo & Black

Adjustable Headband

• Strong Stainless Steel Wires

· Folding Design

• Cushioned Headband for Maximum Comfort

> • Adjustable Earcup Pivot Points Tilt for Wearers Comfort

Soft Padding on Earcups
Provides Maximum Comfort and
Protection from Noises



Protective Earmuff

GM452





Ref. Color
GM452 Gray & Black

• Adjustable Headband

Strong Stainless
 Steel Wires

Compact & —
Portable Design



• Cushioned Headband for Maximum Comfort

• Adjustable Earcup Pivot Points Tilt for Wearers Comfort

• Soft Padding on Earcups Provides Maximum Comfort and Protection from Noises



High Visibility Protective Earmuff

GM452HV ANSI



 Reflective Material · Strong Stainless Steel Wires Compact & Portable Design

- · Adjustable Headband
- **Cushioned Headband** for Maximum Comfort
- Adjustable Earcup Pivot Points Tilt for Wearers Comfort

Soft Padding on Earcups Provides Maximum Comfort and Protection from Noises



Cap Mounted Earmuff

Hi-Vis Lime & Gray

GM453



GM452HV







GM453

Gray & Black

 Position Adaptability For Use and Resting Positioning



 Universal Mounting Fits Most Hard Hats

> Adjustable Earcup Pivot **Points** Tilt for Wearers Comfort

Soft Padding on Earcups Provides Maximum Comfort and Protection from Noises




Behind-The-Neck Earmuff

GM454







 Compact Lightweight & Portable Design

Adjustable Stainless Steel Neckband


· Adjustable Velcro Headstrap for a Secure Fit



- Soft Padding on Earcups Provides Maximum Comfort and Protection from Noises
- Adjustable Earcup Pivot Points Tilt for Wearers Comfort



Bullet Shaped Earplugs



Ref.	Cord Type	Pairs	Pack
GP420	Uncorded	5 Pairs	Bag
GP425	Uncorded	200 Pairs	Box
GP426	Corded	100 Pairs	Box
GP427	Uncorded	5 Pairs with case	Blister



GP427



GP420


Christmas Tree Shaped Earplugs













Ref.	Cord Type	Pairs	Pack
GP439	Uncorded	200 Pairs	Box
GP440	Corded	100 Pairs	Box
GP445	Corded	3 Pairs with case	Blister



GP445

Bell Shaped Earplugs with Case













7



GP444

Ref.	Cord Type	Pairs	Pack
GP444	Corded	2 pairs with case	Blister





Ergonomics



Certifications & Materials

Explained

EN 14404

This standard evaluates the performance and the type levels of knee protection, for all the occupations involving kneeling work, it is important to use knee protection when working for long periods of time in this position, as it can cause long-term discomfort, discomfort, and even some kind of injury.

Types

EN14404



Knee protections independent of any garment and attached around the leg.



Type 2

Plastic foam inserted into the leg reinforcements of a pair of

EN14404



Type 3

Equipment that is not attached to the body, but is put in place when the user moves.



Type 4

Accessories with additional functions to assist in getting up or kneeling down.

Protective Class

Class 0

Recommended for flat floors - no penetration resistance required

Class 1

Recommended for flat floors - required penetration resistance of at least 100 N

Class 2

Recommended for complex conditions (rocks, uneven ground, etc.) require a penetration resistance of at least 250 N.

Knee Pads Components

Protective Caps

The caps provide greater comfort, protection, and stability when working in environments with uneven floors, thanks to the thick layer covering the knee pad. GR551 (PVC) & GR553 (TPE)

Thick Foam

The GR550, GR551, and GR553 models feature thick foam to reduce the pressure exerted against the gel, thus providing less pressure on the knee and longer gel life thanks to this protective

Soft Gel Core

The GR551 and GR553 models contain a protective gel high density, which means that when any kind of pressure is exerted, it is dispersed in such a way that the knee can rest comfortably, supporting long kneeling days work.

Breathable Mesh

All our kneepads are made with a breathable mesh material, dissipating heat and humidity generated by the day and working



Ergonomics

Back Support · Adjustable Suspenders **GR540** 8" Wide Heavyduty Back Panel 4.5" Adjustable Sidebands Color Ref. Size GR540S Black s Black



High Visibility Back Support

Black

Black

M

XL



GR540M

GR540L

GR540XL



GR540





Ergonomics

Knee Pads

GR550



GR550

Type 2

Color

Black

Flexible Neoprene Straps for Easy Adjustment



 Low Profile Contour for Easy Movement

 Medium-Density EVA Foam for Comfort and Longevity



Designed to Comfortably Fit Over or Underpants



Knee Pads

GR551




Type 2

GR551 Black & Blue · Quick Release Slide Clip





· Flexible Neoprene Strap to Easy Adjust and Fit Tightly





Knee Pads

GR553



Type 2



GR553

Color Black & Blue · Breathable and Comfortable Neoprene Strap for Easy Adjustment

> • TPE Cap Provides Stable, Shift-Free Grip and Traction on Most Surfaces



GR551

 Heavy-Duty knee Pads for Tasks Requiring Stability



 Gel Padding Provides Comfort and Stays in Place **Under Pressure**







Head Protection



Head Protection Hard Hats

Cap Style Hard Hat - Vented

GH326



















Air Flow Ref. Color Suspension GH326W Vented O White 4 Point Yellow **GH326Y** Vented 4 Point Red GH326R Vented 4 Point GH326B Vented Blue 4 Point Green **GH326N** Vented 4 Point GH3260 Orange 4 Point Vented Hi-Vis Lime GH326HN Vented 4 Point GH326G Gray 4 Point Vented



GH326N







GH326G



Cap Style Hard Hat

GH327


























GH327B











GH327G

GH327HN

Head Protection Hard Hats

Full Brim Hard Hat - Vented

















• Full Brim Hard Hat Provides **Better Protection**





Ref. Air Flow Color Suspension GH328W Vented O White 4 Point GH328B Blue 4 Point GH328N Green 4 Point Red 4 Point GH328R Vented 4 Point **GH328Y** Vented Yellow Orange GH328O Vented 4 Point Hi-Vis Lime GH328HN 4 Point GH328G Vented Gray 4 Point Carbon Fiber Black GH328CB Vented 4 Point



GH328N

GH328R

GH328Y









Full Brim Hard Hat

GH329






























GH329CW





GH329CB

4





Safety Helmet Vented

GH400













• Four Point Adjustable - Chin Strap			
Ref.	Air Flow	Color	Protective Material
GH400W	Vented	○ White	Koroyd
GH400Y	Vented	Yellow	Koroyd
GH400O	Vented	Orange	Koroyd
GH400GN	Vented	Green	Koroyd
GH400R	Vented	Red	Koroyd
GH400B	Vented	Blue	Koroyd
GH400G	Vented	Gray	Koroyd

Black

· Cross Ventilation System Lower Height Profile · I.D. Holder slot Clip for Headlamps and Goggles Flashlight Slot Antimicrobial Wicking Memory Foam Sweat-Band Padding Rubber Wheel for **Better Grip** · Adjustable Ratchet System



Koroyd Technology

Safety Helmet Non-Vented

GH401

GH400BK



GH4010

GH401R

GH401B

GH401G

GH401BK

GH401GN



Vented







Koroyd





Koroyd

Koroyd

Koroyd

Koroyd

Koroyd

Koroyd





Koroyd Technology

Non-Vented

Non-Vented

Non-Vented

Non-Vented

Non-Vented

Non-Vented

Orange

Green

Red

Blue

Gray

Black

Technologies



ABS External Shell

ANSI Z89.1-2014 Impact rated. Ultra-light weight and usable in temperatures from -30°C to 60°C.



Koroyd - Impact Absorbing Material

The GH400 is the first and only helmet in the market to only use Koroyd as its protective impact absorbing material. Koroyd outperforms EPS foam by 48%, preventing energy rebound (from the impact) onto the user.



Cross Ventilation System

Air flows consistently through the 10 vents, allowing hot air from the head to escape easily. This impacts the heat index by lowering it by 8° degrees in comparison to helmets that use EPS foam.



Internal Padding

Antimicrobial Wicking Memory Foam Sweat-Band Padding for better comfort.



Slots for Accessories

10 Slots designed to accommodate and securely attach different accessories in the front, rear, and sides. These include flashlights, protective eye shield, full face visors, protective earmuffs, ID holder, and more.



4-Point Chin Strap

Made from black polyester, it adapts to earmuff use for better comfort. Adapts to earmuff use. Fixed Anchor Version (ANSI Z89). Retained chins trap anchors like requirements of EN12492.



Adjustable Chin Strap

The side adjustment points move up and down to adjust and position the chin strap to the ideal size, thus providing greater stability and a secure fit.



Cap Mounted Earmuff Fitting Slots

3 cm Slots to fit GE cap mounted dielectric protective earmuffs and other compatible earmuffs.



Adjustable Fit System

Turning the rubber wheel and moving the system up and down allows the helmet to be adjusted to different head sizes. The ergonomically shaped wings cradle the back of the neck for added comfort. You can also adjust the position of the "wings" moving them into or out of the helmet.



Integrated Clips

Clips designed with 4-point coverage, easy to install. Help secure elastic bands used for goggles and headlamps.

Safety Helmets



Advanced Impact Technology

Koroyd's impact absorbing technology outperforms other materials at every stage of compression, helping reduce the risk of workplace injury. Koroyd implements its advancements to improve safety, performance, and user experience by offering enhanced impact protection. Every jobsite incident is different, but one thing is certain: at any angle of impact, you want the best technology possible - specifically engineered to protect what matters most.

IMPROVED SAFETY + PERFORMANCE

Impact protection

Koroyd protects the skull and brain from any angle of impact.

Leading performance

Koroyd outperforms EPS foam by 48%, featuring advanced impact technology.

Visual end-of-life-indicator

Regular visual inspection of Koroyd tube structure can identify compromised PPE and replacement needs.

ENHANCED WEARER EXPERIENCE

Lower height profile

Koroyd allows for a compact, lower profile design. The result? A comfortable helmet with less short term removal.

Reduce heat stress

Air flows consistently through Koroyd open cell structure, allowing hot air from the head to easily escape.

Lightweight

Featuring the world thinnest walled tubes, Koroyd structure is 95% air, providing reduced weight and enhanced comfort without compromising on safety.

Prevents impact energy rebound - Koroyd absorbs impact energy in a controlled way avoiding the rebound seen with traditional harness systems and making a more stable, safer helmet.

Visual end of life indication - Koroyd visual plastic deformation highlights severe impacts and allows easy checks product replacement.

Advanced energy absorption - Koroyd is developed from aviation technology vs EPS developed for packaging materials, which one would you rather protects you?

Protects against linear / rotational / angled impacts - reduces velocity through linear energy absorption = reduced rotating motion. Direct Correlation 1:1. Koroyd uses up to 85% of its volume to absorb energy vs the 60% of EPS.









GE GH400 Safety Helmet Wins Best in Show Award





2022 NSC SAFETY CONGRESS & EXPO SAFETY+HEALTH®

Winner 2022



GH400 Series

Vented



Our award winning safety helmet, the GH400, features Koroyd's advanced impact absorbing technology as the inside protective layer between the ABS shell of the helmet and the head of the user. In comparison with the rest of the safety helmets on the market today, the GH400 is the only one that uses Koroyd's patented technology, as the solely protective material, instead of the traditional EPS foam most of the rest of the helmets use.

The engineered structure of the Koroyd material has many benefits. The most important one is the ability to absorb the energy of any impact at a constant rate, decreasing the chances of injury for the user. Koroyd outperforms EPS foam by 48%, featuring advanced impact technology. Another vital benefit is minimal heat accumulation. The structure of the Koroyd material is composed by the world's thinnest walled tubes. This enables heat from the user's head to vent out of the helmet easily. Helped by the cross ventilation system, the GH400 prevents heat stress in most conditions.

Features

- Type I
- No Metal Components
- Koroyd Impact Absorbing Technology
- Advanced Breathability and Cooling System
- Lower Profile & Less Weight
- Adjustable Ratchet System
- · 4 Points Chin Strap
- · Class C
- ANSI Z89.1-2014











SKU	Each	Inner	Case	
GH400W Whi	te 810084963050	10810084963057	20810084963054	
GH400Y Yell	ow 810084963067	10810084963064	20810084963061	
GH4000 Ora	nge 810084963036	10810084963033	20810084963030	
GH400GN Gre	en 810084963029	10810084963026	20810084963023	
GH400R Rec	810084963043	10810084963040	20810084963047	
GH400B Blue	810084962992	10810084962999	20810084962996	
GH400G Gra	y 810084963012	10810084963019	20810084963016	
GH400BK Blad	k 810084963005	10810084963002	20810084963009	

GH401 Series

Non-Vented



Our award winning safety helmet, the GH401, features Koroyd's advanced impact absorbing technology as the inside protective layer between the ABS shell of the helmet and the head of the user. In comparison with the rest of the safety helmets on the market today, the GH401 is the only one that uses Koroyd's patented technology, as the solely protective material, instead of the traditional EPS foam most of the rest of the helmets use.

The engineered structure of the Koroyd material has many benefits. The most important one is the ability to absorb the energy of any impact at a constant rate, decreasing the chances of injury for the user. Koroyd outperforms EPS foam by 48%, featuring advanced impact technology. Another vital benefit is minimal heat accumulation. The structure of the Koroyd material is composed by the world's thinnest walled tubes. This enables heat from the user's head to vent out of the helmet easily. Helped by the cross ventilation system, the GH400 prevents heat stress in most conditions.

Features

- Type I
- Dielectric
- Koroyd Impact Absorbing Technology
- Advanced Breathability and Cooling System
- · Lower Profile & Less Weight
- Adjustable Ratchet System
- 4 Points Chin Strap
- · Class G & E
- ANSI Z89.1-2014













SKU	Each	Inner	Case	
GH401W White	810084963135	10810084963132	20810084963139	
GH401Y Yellow	810084963142	10810084963149	20810084963146	
GH4010 Orange	810084963111	10810084963118	20810084963115	
GH401GN Green	810084963104	10810084963101	20810084963108	
GH401R Red	810084963128	10810084963125	20810084963122	
GH401B Blue	810084963074	10810084963071	20810084963078	
GH401G Gray	810084963098	10810084963095	20810084963092	
GH401BK Black	810084963081	10810084963088	20810084963085	

Customize your Helmet



Sold Separately

GH600 - Protective Eye Shield Kit





- Clear Polycarbonate Lens with guick release system
- AS/AF scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 Z87+ High Velocity Impact Rated 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
- · Includes:

GH614 Protective Eye Shield - Clear - 1 Piece GH618 Protective Eye Shield Adapters - 2 Pieces

GH602 - Protective Eye Shield Kit





- · Silver Mirror Polycarbonate Lens with quick release system
- · AS/AF scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 L2 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
- Visible Light Filter Scale L3 Max. 43% Nom. 37.3%, Min. 29%
- · Includes:

GH616 Protective Eye Shield - Mirror - 1 Piece GH618 Protective Eye Shield Adapters - 2 Pieces

GH615 - Protective Eye Shield





- Smoked Polycarbonate Lens
- AS/AF scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 L3 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
- Visible Light Filter Scale L3 Max. 18% Nom. 13.9%, Min. 8.5%
- · Includes:
- GH615 Protective Eye Shield Smoke 1 Piece

GH601 - Protective Eye Shield Kit





- Smoked Polycarbonate Lens with quick release system
- · AS/AF scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 L3 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
 Visible Light Filter Scale L3 Max. 18% Nom. 13.9%, Min. 8.5%
- Includes: GH615 Protective Eye Shield - Smoke - 1 Piece GH618 Protective Eye Shield Adapters - 2 Pieces

GH614 - Protective Eye Shield





- Clear Polycarbonate Lens
- AS/AF scratch resistant outside, 8 sec Anti-Fog inside ANSI/ISEA Z87.1-2020 - Z87+ High Velocity Impact Rated
- 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
- · Includes:

GH614 - Protective Eye Shield - Clear - 1 Piece

GH616 - Protective Eye Shield





- Silver Mirror Polycarbonate Lens
- AS/AF scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 L2 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
- Visible Light Filter Scale L3 Max. 43% Nom. 37.3%, Min. 29%
- Includes:
- GH616 Protective Eye Shield Mirror 1 Piece

Sold Separately

GH603 - Full Face Visor Kit





- Full Face Visor with quick release system
- · Scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated 101.5 m/s (333 ft/s)
- Face Shield Marking Z87+ X
- · Includes:

GH605 Full Face Visor - Clear - 1 Piece GH621 Full Face Visor Carrier - 1 Piece GH620 Full Face Visor Adapters - 2 Pieces

GH605 - Full Face Visor





- Clear Polycarbonate
- · Scratch resistant outside, 8 sec Anti-Fog inside.
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated 101.5 m/s (333 ft/s)
- Face Shield Marking Z87+ X
- Includes: GH605 Full Face Visor - Clear - 1 Piece

GH617 - Protective Eye Shield Cover





- Frosted Polycarbonate
- Prevents the Protective Eye Shield to Damage in Resting Position
- Includes: GH617 Protective Eye Shield Cover - 1 Piece

GH604 - Full Face Mesh Visor Kit





- Full Face Mesh Visor with quick release system
- Anodised Coated Steel
- ANSI/ISEA Z87.1-2020 (Z87 Impact Rated)
- Includes

GH606 Full Face Mesh Visor - 1 Piece GH621 Full Face Visor Carrier - 1 Piece GH620 Full Face Visor Adapters - 2 Pieces

GH606 - Full Face Mesh Visor





- Anodised Coated Steel
- ANSI/ISEA Z87.1-2020 (Z87 Impact Rated)
- Includes: GH606 Full Face Mesh Visor - 1 Piece

GH618 - Protective Eye Shield Adapters





- ABS/POM Full Face Eye Shield Adapters (Black)
- Compatible with GH601, GH602, GH603, GH614, GH615 and GH616.
- Includes:
 GH618 Protective Eye Shield Adapters 2 Pieces

Sold Separately

GH620 - Full Face Visor Adapters





- ABS/POM Full Face Visor Adapters (Black/Gray)
- Compatible with GH621 Full Face Visor Carrier only, GH605 Full Face Visor- Clear and GH606 Full Face Mesh Visor
- Includes: GH620 Full Face Visor Adapter - 2 Pieces

GH609 - Sun Brim





- Smoked Polycarbonate Peak (55mm)
- Permits Upwards Vision
- TPE Carry Grips (Black)
- Includes: GH609 Sun Brim - 1 Piece

GH619 - Goggles & Head Lamp Clips





- ABS (Black)
- Includes:
 GH619 Goggles & Head Lamp Clips 4 Pieces
 (2x Front + 2x Rear)

GH621 - Full Face Visor Carrier





- · ABS (Black)
- Compatible with GH605 Full Face Visor Clear and GH606 Full Face Mesh Visor
- Includes: GH621 Full Facer Visor Carrier - 1 Piece

GH610 - Vent Covers





- TPR Vent Covers (Black)
- Prevents Ingress of Water/Dust
- Includes: GH610 Vent Covers - 3 Pieces (2x Sides + 1x Rear)



GH612 - Interior Padding





- Antimicrobial Wicking Memory Foam Sweat-Band Padding
- Easy to install
- Includes:
 GH612 Interior Padding 3 Pieces
 (1x Memory Foam Sweat-Band Pad 5mm + 1x PU Foam Crown Pad 12mm + 1x PU Foam Rear Ratchet Pad 6mm)

Sold Separately

GH622 - Reflective Stickers





- Solid Glass Bead Reflective Stickers
- Includes: GH622 Reflective Stickers - 1 Set (1x Front + 1x Rear + 2x Sides)

GH607 - Chin Strap





4-Point Chin Strap (Black - Polyester)
Fixed Anchor Version (ANSI Z89)
Retained chinstrap anchor like the
requirements of EN12492
Includes:
GH607 Chin Strap - 1 Piece

GH623 - Neck Protector





- Clip in Neck Protector
- Rip Stop Polyester (Yellow)
- Reflective Glass Bead Edging
- UPF Protection 40+
- Includes: GH623 Neck Protector - 1 Piece

GM453 - Cap Mounted Earmuff





- Dielectric
- NRR: 25dB / SNR: 29 dB
- Fits most slotted hard hats
- Includes: GM453 Cap Mounted Earmuff - 1 Piece

One of the Lightest Safety Helmets in the market



(ge)

GH500 TYPE II SAFETY HELMET







Winner 2023













ANSI Z89.1, TYPE II, CLASS C, G & E

Safety Helmet Vented

GH500



















Koroyd Technology

Safety Helmet Non-Vented

GH501

GH501R

GH501B

GH501G

GH501CB





Koroyd Technology

Non-Vented

Non-Vented

Non-Vented

Non-Vented

Red

Blue Gray Koroyd

Korovd

Carbon Black Koroyd

Technologies



ABS External Shell

ANSI Z89.1-2014 Impact rated. Ultra-light weight and usable in temperatures from -30°C to 60°C



Koroyd – Impact Absorbing Material

The GH500 is the first and only helmet in the market to only use Koroyd as its protective impact absorbing material. Koroyd outperforms EPS foam by 48%, preventing energy rebound (from the impact) onto the user.



Cross Ventilation System

Air flows consistently through the 10 vents, allowing hot air from the head to escape easily. This impacts the heat index by lowering it by 8° degrees in comparison to helmets that use EPS foam.



Internal Padding

Antimicrobial Wicking Memory Foam Sweat-Band Padding for better comfort.



Slots for Accessories

10 Slots designed to accommodate and securely attach different accessories in the front, rear, and sides. These include flashlights, protective eye shield, full face visors, protective earmuffs, ID holder, and more.



4-Point Chin Strap

Made from black polyester, it adapts to earmuff use for better comfort. Adapts to earmuff use. Fixed Anchor Version (ANSI Z89). Retained chins trap anchors like requirements of EN12492.



Adjustable Chin Strap

The side adjustment points move up and down to adjust and position the chin strap to the ideal size, thus providing greater stability and a secure fit.



Cap Mounted Earmuff Fitting Slots

3 cm Slots to fit GE cap mounted dielectric protective earmuffs and other compatible earmuffs.



Adjustable Fit System

Turning the rubber wheel and moving the system up and down allows the helmet to be adjusted to different head sizes. The ergonomically shaped wings cradle the back of the neck for added comfort. You can also adjust the position of the "wings" moving them into or out of the helmet.



Integrated Clips

Clips designed with 4-point coverage, easy to install. Help secure elastic bands used for goggles and headlamps.



GE GH500 Safety Helmet Wins Best in Show Award





Winner 2023



The GE GH500 safety helmet, featuring Koroyd impact absorbing technology, has been honored as a Best in Show winner at the National Safety Council Expo 2023.



GH500 Series

Vented



Our award winning safety helmet, the GH500, features Koroyd's advanced impact absorbing technology as the inside protective layer between the ABS shell of the helmet and the head of the user. In comparison with the rest of the safety helmets on the market today, the GH500 is the only one that uses Koroyd's patented technology, as the solely protective material, instead of the traditional EPS foam most of the rest of the helmets use.

The engineered structure of the Koroyd material has many benefits. The most important one is the ability to absorb the energy of any impact at a constant rate, decreasing the chances of injury for the user. Koroyd outperforms EPS foam by 48%, featuring advanced impact technology. Another vital benefit is minimal heat accumulation. The structure of the Koroyd material is composed by the world's thinnest walled tubes. This enables heat from the user's head to vent out of the helmet easily. Helped by the cross ventilation system, the GH500 prevents heat stress in most conditions.

Features

- Type II
- No Metal Components
- · Koroyd Impact Absorbing Technology
- Advanced Breathability and Cooling System
- · Lower Profile & Less Weight
- · Adjustable Ratchet System
- 4 Points Chin Strap
- Class C
- ANSI Z89.1-2014











sкu	Each	Case
GH500W White	810084964132	20810084964181
GH500Y OYello	w 810084964149	20810084964143
GH5000 Oran	ge 810084964156	20810084964150
GH500GN Gree	n 810084964163	20810084964167
GH500R Red	810084964170	20810084964174
GH500B Blue	810084964187	20810084964181
GH500G Grey	810084964194	20810084964198
GH500BK Black	810084964200	20810084964204
GH500CB @ Carbo	n Black 810084965818	20810084965812

GH501 Series

Non-Vented



Our award winning safety helmet, the GH501, features Koroyd's advanced impact absorbing technology as the inside protective layer between the ABS shell of the helmet and the head of the user. In comparison with the rest of the safety helmets on the market today, the GH501 is the only one that uses Koroyd's patented technology, as the solely protective material, instead of the traditional EPS foam most of the rest of the helmets use.

The engineered structure of the Koroyd material has many benefits. The most important one is the ability to absorb the energy of any impact at a constant rate, decreasing the chances of injury for the user. Koroyd outperforms EPS foam by 48%, featuring advanced impact technology. Another vital benefit is minimal heat accumulation. The structure of the Koroyd material is composed by the world's thinnest walled tubes. This enables heat from the user's head to vent out of the helmet easily. Helped by the cross ventilation system, the GH501 prevents heat stress in most conditions.

Features

- Type II
- Dielectric
- Koroyd Impact Absorbing Technology
- Advanced Breathability and Cooling System
- · Lower Profile & Less Weight
- Adjustable Ratchet System
- 4 Points Chin Strap
- · Class G & E
- ANSI Z89.1-2014











SKU	E	Each	Case
GH501W W	hite 81008	34964217 20	810084964211
GH501Y OY	ellow 81008	34964224 20	810084964228
GH5010 — Or	ange 81008	34964231 20	810084964235
GH501GN G	een 81008	34964248 20	810084964242
GH501R Re	ed 81008	34964255 20	810084964259
GH501B	ue 81008	34964262 20	810084964266
GH501G G	ey 81008	34964279 20	810084964273
GH501BK BI	ack 81008	34964286 20	810084964280
GH501CB 🌑 Ca	rbon Black 81008	34965825 20	810084965829

Sold Separately

GH600 - Protective Eve Shield Kit





- Clear Polycarbonate Lens with quick release system
- AS/AF scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 Z87+ High Velocity Impact Rated 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
- Includes: GH614 Protective Eye Shield - Clear - 1 Piece GH618 Protective Eye Shield Adapters - 2 Pieces

GH602 - Protective Eye Shield Kit





- Silver Mirror Polycarbonate Lens with quick release system
- AS/AF scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 L2 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
- Visible Light Filter Scale L3 Max. 43% Nom. 37.3%, Min. 29%

GH616 Protective Eye Shield - Mirror - 1 Piece GH618 Protective Eye Shield Adapters - 2 Pieces

GH615 - Protective Eye Shield





- Smoked Polycarbonate Lens
- AS/AF scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 L3 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
- Visible Light Filter Scale L3 Max. 18% Nom. 13.9%, Min. 8.5%
- GH615 Protective Eye Shield Smoke 1 Piece

GH601 - Protective Eye Shield Kit





- Smoked Polycarbonate Lens with quick release system
- · AS/AF scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated 50.9m/s (167ft/s)
 • Eye Shield Marking - Z87+ U6 L3 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance Visible Light Filter Scale L3 Max. 18% Nom. 13.9%, Min. 8.5%

GH615 Protective Eye Shield - Smoke - 1 Piece GH618 Protective Eye Shield Adapters - 2 Pieces

GH614 - Protective Eye Shield





- · Clear Polycarbonate Lens
- AS/AF scratch resistant outside, 8 sec Anti-Fog inside ANSI/ISEA Z87.1-2020 - Z87+ High Velocity Impact Rated
- 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
- Includes

GH614 - Protective Eye Shield - Clear - 1 Piece

GH616 - Protective Eye Shield





- Silver Mirror Polycarbonate Lens
- AS/AF scratch resistant outside, 8 sec Anti-Fog inside
 ANSI/ISEA Z87.1-2020 High Velocity Impact Rated
- 50.9m/s (167ft/s)
- Eye Shield Marking Z87+ U6 L2 X
- UV Filter U6 0.01 to 0.1 Max UV Average Transmittance
- Visible Light Filter Scale L3 Max. 43% Nom. 37.3%, Min. 29%
- Includes

GH616 Protective Eye Shield - Mirror - 1 Piece

Sold Separately

GH603 - Full Face Visor Kit





- Full Face Visor with quick release system
- Scratch resistant outside, 8 sec Anti-Fog inside
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated
- 101.5 m/s (333 ft/s)
- Face Shield Marking Z87+ X Includes:

GH605 Full Face Visor - Clear - 1 Piece GH621 Full Face Visor Carrier - 1 Piece GH620 Full Face Visor Adapters - 2 Pieces

GH605 - Full Face Visor





- Clear Polycarbonate
- Scratch resistant outside, 8 sec Anti-Fog inside.
- ANSI/ISEA Z87.1-2020 High Velocity Impact Rated
- 101.5 m/s (333 ft/s)
- Face Shield Marking Z87+ X Includes:

GH605 Full Face Visor - Clear - 1 Piece

GH617 - Protective Eye Shield Cover





- Frosted Polycarbonate
- Prevents the Protective Eye Shield to Damage in Resting Position

GH617 Protective Eye Shield Cover - 1 Piece

GH604 - Full Face Mesh Visor Kit





- Full Face Mesh Visor with quick release system
- Anodised Coated Steel
- ANSI/ISEA Z87.1-2020 (Z87 Impact Rated)

GH606 Full Face Mesh Visor - 1 Piece GH621 Full Face Visor Carrier - 1 Piece GH620 Full Face Visor Adapters - 2 Pieces

GH606 - Full Face Mesh Visor





- · Anodised Coated Steel
- ANSI/ISEA Z87.1-2020 (Z87 Impact Rated)
- Includes: GH606 Full Face Mesh Visor - 1 Piece

GH618 - Protective Eye Shield Adapters





- ABS/POM Full Face Eye Shield Adapters (Black)
- Compatible with GH601, GH602, GH603,
- GH614, GH615 and GH616.
- GH618 Protective Eye Shield Adapters 2 Pieces

Sold Separately

GH620 - Full Face Visor Adapters





- ABS/POM Full Face Visor Adapters (Black/Gray)
- Compatible with GH621 Full Face Visor Carrier only, GH605 Full Face Visor- Clear and GH606 Full Face Mesh Visor
- Includes: GH620 Full Face Visor Adapter - 2 Pieces

GH619 - Goggles & Head Lamp Clips





- · ABS (Black)
- Includes: GH619 Goggles & Head Lamp Clips - 4 Pieces (2x Front + 2x Rear)

GH622 - Reflective Stickers





- Solid Glass Bead Reflective Stickers
- Includes: GH622 Reflective Stickers - 1 Set (1x Front + 1x Rear + 2x Sides)

GH621 - Full Face Visor Carrier

Includes





- ABS (Black)
- Compatible with GH605 Full Face Visor Clear and GH606 Full Face Mesh Visor
- Includes: GH621 Full Facer Visor Carrier - 1 Piece

GH613 - Interior Padding





- Antimicrobial Wicking Memory Foam Sweat-Band Padding
- Easy to install
- Includes:
 GH613 Interior Padding 3 Pieces
 (1x Memory Foam Sweat-Band Pad 5mm + 1x PU Foam
 Crown Pad 12mm + 1x PU Foam Rear Ratchet Pad 6mm)

GH607 - Chin Strap

Include






- 4-Point Chin Strap (Black Polyester)
- Fixed Anchor Version (ANSI Z89)
- Retained chinstrap anchor like the
- requirements of EN12492
 Includes:
 GH607 Chin Strap 1 Piece

Sold Separately

GH623 - Neck Protector





- Rip Stop Polyester (Yellow)
- · Reflective Glass Bead Edging
- UPF Protection 40+
- Includes:

GH623 Neck Protector - 1 Piece



GM453 - Cap Mounted Earmuff





- Dielectric
- NRR: 25dB / SNR: 29 dB
- · Fits most slotted hard hats
- · Includes:

GM453 Cap Mounted Earmuff - 1 Piece

Extend your **Protection**

Array of Accessories







Complete Ecosystem of Interchangeable Accessories

One of the Lightest Safety Helmets

in the market

Display

POP006 - PDQ



Display

POP003 - Clip Strip



Size: 630mm X 300mm 25" X 12"

Display

POP007 - 72 Pairs Boxes Quarter Pallet



Display

POP005 - Safety Eyewear Display



Size: 550mm X 360mm X 170mm 21.6" X14.1" X 6.6"

Display


POP001 - Floor Stand



Size: 480mm X 350mm X 1850mm 19" X 14" X 73"

Display

POP009 - Gondola





Size: 1000mm X 2164mm X 444mm 39" X 85" X 17"

Display

POP002 - Iron Tube Rack



Size: 1700mm X 480mm X 350mm 67" X 19" X 14"

Display

POP010 - Gondola



Size: 1524mm X 640mm X 584mm 60" X 25" X 23"

<u>Index</u>

PROTECTIVE EYEWEAR			HAND			ERGONOM	ERGONOMICS	
		PROTECT		PROTECTI		GR540	85	
GE101	73	GG221	14	GG417	36	GR542	85	
GE103	76	GG222	14	GG421	36	GR550	86	
GE104	72	GG223	14	GG422	36	GR551	86	
GE105	78	GG224	15	GG600	40	GR553	86	
GE106	74	GG225	15	GG601	40	HEARING		
GE109	76	GG226	15	GG610	40	PROTECTION	ON	
GE110	77	GG227	16	GG622	40	GM450	87	
GE111	79	GG228	16			GM451	87	
GE112	80	GG235	16	SAFET\ VEST	(GM452	87	
GE114	70	GG254	17	GV074	43	GM452HV	88	
GE115	71	GG271	17	GV076	43	GM453	88	
GE130	69	GG275	17	GV078	44	GM454	88	
GE201	73	GG230	18	GV082	44	HEARING		
GE202	68	GG231	18	GV084	45	PROTECTIO	ON	
GE202	66	GG240	19	GV086	45	GP425	89	
	67	GG242	19	GV088	46	GP426	89	
GE205	76	GG244	19	31000	10	GP427	89	
GE206		GG301	23	PROTECT	IVF	GP428	90	
GE208	75	GG302	23	CLOTHIN		GP429	90	
GE212	80	GG304	23	GS106	50	GP430	90	
GE308	75	GG305	24	GS108	50	GP431	90	
GE146	82	GG306	24	GS112	51	GP435	90	
GE147	82	GG307	24	GS114	51	GP439	90	
GE148	82	GG309	25	GS116	52	GP440	90	
GE149 HAND	83	GG320	25	GS118	52	GP444	91	
PROTEC		GG321	25			GP445	90	
GG201	11	GG322	26	PROTECT COVERAL		HEAD	ON	
GG205	10	GG330	28	GW900	57	PROTECTION GH326	JN 100	
GG206	10	GG331	28	GW901	57	GH327	100	
GG207	10	GG340	29	GW902	58	GH328	101	
GG208	11	GG345	29	GW903	58	GH329	101	
GG209	12	GG400	34	GW904	59		101	
GG211	12	GG401	34	GW905	59	HEAD PROTECTION	ON	
GG215	13	GG402	34	GW906	60	GH400	102	
GG216	13	GG410	35	GW907	60	GH401	102	
GG217	13	GG411	35	311301	50	GH500	113	
		GG416	35			GH501	113	
		,	- 00	3				

3



Contact Us

For any inquiries or questions please do not hesitate to contact us



Email sales@cacoamerica.com





Telephone +1 (305) 507-1190







The Future of the Safety **Helmet** has Arrived

Caco America LLC

⊕ geppe.cacoamerica.com 🖻 Sales@cacoamerica.com 🕲 +1 (305) 507-1190

(O) cacoamericallo

in Caco America LLC - GE PPE

? Caco America